Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-01-226-8102

Tempurature Rating:	
-55.0 degrees celsius	
Environmental Protection:	
	sistant and mildew resistant and solvent resistant and water resistant
Main Body Wall Thickness:	
0.090 inches after unrestricted r	
Main Bodylength:	
3.900 inches after unrestricted r	ecovery
Main Body Small End Inside D	-
1.630 inches as supplied	
Main Body Large End Inside D	ameter:
1.630 inches as supplied	
	ulder To Large End Of Main Body:
2.400 inches after unrestricted re	
Distance From Top Of Shoulde	-
0.790 inches after unrestricted re	
Min. Tensile Strength (psi):	
1500 pounds per square inch	
Special Features:	
Tab located between exterior sm	all diameter and large diameter with hole 0.080 in. Dia; wall thickness on small end tapers to 0.040 in.;
inside coated with s-1017 adhesi	ve; large end has lip
Flexibility:	
Semirigid	
Color:	
Black	
Material:	
Plastic, polyolefin, rt-301, raych	iem corp
Material:	
Plastic, polyolefin, rt-301, raych	iem corp
Style Designator:	
Boot-straight	
Dielectric Material Voltage Rat	ng Per Unit Thickness:
200.0 volts per military /0.001 inc	h/
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A22500	