Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-01-237-7463

Tempurature Rating: -55.0 degrees celsius and 225.0 degrees celsius **Environmental Protection:** Corrosion resistant and flame resistant and mildew resistant and water resistant Main Body Wall Thickness: 0.060 inches after unrestricted recovery Main Bodylength: 4.170 inches after unrestricted recovery Main Body Small End Inside Diameter: 0.880 inches as supplied Main Body Large End Inside Diameter: 0.880 inches as supplied Distance From Bottom Of Shoulder To Large End Of Main Body: 0.460 inches after unrestricted recovery Min. Tensile Strength (psi): 1500 pounds per square inch **Special Features:** Inside adhesive coated Flexibility: Semirigid Color: Black Material: Plastic, polyolefin, rt-301, raychem corporation or plastic, polyolefin, mpp-262, 3, co Material: Plastic, polyolefin, rt-301, raychem corporation or plastic, polyolefin, mpp-262, 3, co Style Designator: Boot-straight-long **Dielectric Material Voltage Rating Per Unit Thickness:** 200.0 volts per military /0.001 inch/ Shelf Life: N/a Unit Of Measure: **Demilitarization:** No Fiig: A22500