Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-01-257-9221

View Online at https://aeiobasegioup.com/hsi/3970-01-237-9221	
Tempurature Rating:	
-55.0 degrees celsius	
Environmental Protection:	
Corrosion resistant and flame resistant and mildew resistant and solvent resistant and water resistant	
Main Body Inside Diameter:	
1.800 inches as supplied	
First Branch Inside Diameter:	
0.850 inches as supplied	
Second Branch Inside Diameter:	
0.850 inches as supplied	
Main Body Wall Thickness:	
0.100 inches after unrestricted recovery	
First Branch Wall Thickness:	
0.050 inches after unrestricted recovery	
Second Branch Wall Thickness:	
0.050 inches after unrestricted recovery	
Main Bodylength:	
3.500 inches after unrestricted recovery	
Min. Tensile Strength (psi):	
1500 pounds per square inch	
Special Features:	
Inside adhesive coated	
Flexibility:	
Semirigid	
Color:	
Black	
Material:	
Plastic, polyolefin, rt-301, raychem corp	
Material:	
Plastic, polyolefin, rt-301, raychem corp	
Dielectric Material Voltage Rating Per Unit Thickness:	
200.0 volts per military /0.001 inch/	
Shelf Life:	
N/a	
Unit Of Measure:	
-	
Demilitarization:	
No	
Fiig:	
A22500	