NSN 5970-01-265-8644

Special Purpose Electrical Insulation Sleeving - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5970-01-265-8644

Tempurature Rating:

-75.0 degrees celsius and 125.0 degrees celsius

Large End Wall Thickness Of Main Body:

0.070 inches after unrestricted recovery

Small End Wall Thickness Of Main Body:

0.070 inches after unrestricted recovery

Main Bodylength:

8.840 inches after unrestricted recovery

Main Body Small End Inside Diameter:

1.750 inches as supplied

Main Body Large End Inside Diameter:

2.030 inches as supplied

Distance From Top Of Shoulder To Small End Of Main Body:

6.820 inches after unrestricted recovery

End Largest Diameter:

1.900 inches after unrestricted recovery

Min. Tensile Strength (psi):

1400 pounds per square inch

Lip Height:

0.070 inches after unrestricted recovery

Lip Width:

0.070 inches after unrestricted recovery

Flexibility:

Flexible

Height:

1.160 inches after unrestricted recovery

Color:

Black

Material:

Rubber, elastomeric-polymer blend, mil-r-46846, type 6, class 2

Material:

Rubber, elastomeric-polymer blend, mil-r-46846, type 6, class 2

Style Designator:

Boot-90 degrees

Dielectric Material Voltage Rating Per Unit Thickness:

220.0 volts per military /0.001 inch/

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 5970-01-265-8644

Special Purpose Electrical Insulation Sleeving - Page 2 of 2



Fiig:

A22500