

View Online at <https://aerobasegroup.com/nsn/5970-01-293-1649>

Reliability Indicator:

Established

Temperature Rating:

-55.0 degrees celsius

Environmental Protection:

Corrosion resistant and flame resistant and mildew resistant and solvent resistant and water resistant

Distance From Intersecting Centerlines To Edge Of Small End:

2.200 inches after unrestricted recovery

Distance From Centerline Of Small End To Edge Of Large End:

1.000 inches after unrestricted recovery

Main Body Wall Thickness:

0.040 inches after unrestricted recovery

Main Body Small End Inside Diameter:

1.480 inches as supplied

Main Body Large End Inside Diameter:

2.280 inches after unrestricted recovery

End Application:

Solid state receiver/digital moving target ind.(ssr-dmti)

Min. Tensile Strength (psi):

1500 pounds per square inch

Special Features:

Entire inner surface coated with thermo adhesive; subminiature; end entry; expanded

Flexibility:

Semirigid

Color:

Black

Material:

Plastic, polyolefin, rt-301, raychem corp

Material:

Plastic, polyolefin, rt-301, raychem corp

Style Designator:

Boot-rectangular-90 degrees

Dielectric Material Voltage Rating Per Unit Thickness:

200.0 volts per military /0.001 inch/

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A22500