## NSN 5970-01-293-7635

Special Purpose Electrical Insulation Sleeving - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5970-01-293-7635

#### **Environmental Protection:**

Corrosion resistant and flame resistant and mildew resistant

### Large End Wall Thickness Of Main Body:

0.070 inches as supplied

### Small End Wall Thickness Of Main Body:

0.045 inches as supplied

### Main Bodylength:

2.000 inches as supplied

### Main Body Small End Inside Diameter:

1.330 inches as supplied and 0.330 inches as supplied

### Main Body Large End Inside Diameter:

1.330 inches as supplied and 0.740 inches as supplied

### Distance From Top Of Shoulder To Small End Of Main Body:

0.740 inches as supplied

### **End Largest Diameter:**

0.750 inches as supplied

### Min. Tensile Strength (psi):

1500 pounds per square inch

### Lip Height:

0.120 inches as supplied

### Lip Width:

0.040 inches as supplied

### Special Features:

Inside adhesive coated

### Flexibility:

Semirigid

### Height:

0.082 inches as supplied

#### Color:

Black

### Material:

Plastic, elastomer, rt-1325, raychem corp

### Material:

Plastic, elastomer, rt-1325, raychem corp

### **Style Designator:**

Boot-90 degrees

### **Dielectric Material Voltage Rating Per Unit Thickness:**

300.0 volts per military /0.001 inch/

### Shelf Life:

N/a

#### **Unit Of Measure:**

--

# NSN 5970-01-293-7635

Special Purpose Electrical Insulation Sleeving - Page 2 of 2



Demilitarization:

No

Fiig:

A22500