

View Online at https://aerobasegroup.com/nsn/5970-01-293-7635

Environmental Protection:
Corrosion resistant and flame resistant and mildew resistant
Large End Wall Thickness Of Main Body:
0.070 inches as supplied
Small End Wall Thickness Of Main Body:
0.045 inches as supplied
Main Bodylength:
2.000 inches as supplied
Main Body Small End Inside Diameter:
1.330 inches as supplied and 0.330 inches as supplied
Main Body Large End Inside Diameter:
1.330 inches as supplied and 0.740 inches as supplied
Distance From Top Of Shoulder To Small End Of Main Body:
0.740 inches as supplied
End Largest Diameter:
0.750 inches as supplied
Min. Tensile Strength (psi):
1500 pounds per square inch
Lip Height:
0.120 inches as supplied
Lip Width:
0.040 inches as supplied
Special Features:
Inside adhesive coated
Flexibility:
Semirigid
Height:
0.082 inches as supplied
Color:
Black
Material:
Plastic, elastomer, rt-1325, raychem corp
Material:
Plastic, elastomer, rt-1325, raychem corp
Style Designator:
Boot-90 degrees
Dielectric Material Voltage Rating Per Unit Thickness:
300.0 volts per military /0.001 inch/
Shelf Life:
N/a
Unit Of Measure:

---

Special Purpose Electrical Insulation Sleeving - Page 2 of 2



Demilitarization:

No

Fiig:

A22500