## NSN 5970-01-297-2862



Electrical Insulation Sleeving - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5970-01-297-2862 **Reliability Indicator:** Not established **Overall Length:** Any acceptable **Tempurature Rating:** -67.0 degrees celsius and 250.0 degrees celsius **Environmental Protection:** Corrosion resistant and flame resistant and mildew resistant **Expanded Inside Diameter:** 0.580 inches **Recovered Inside Diameter:** 0.448 inches **Recovered Wall Thickness:** 0.030 inches Min. Tensile Strength (psi): 2500 pounds per square inch Flexibility: Flexible Color: Black Material: Plastic, polytetrafluoroethylene Material: Plastic polytetrafluoroethylene Style Designator: Shrinkable **Test Data Document:** 81349-mil-i-23053 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Dielectric Material Voltage Rating Per Unit Thickness:** 800.0 volts per military /0.001 inch/ **Specification Data:** 81349-mil-i-23053/12 government specification Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

No Fiig:

A22500