# NSN 5970-01-309-6395

Special Purpose Electrical Insulation Sleeving - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5970-01-309-6395

# **Tempurature Rating:**

-55.0 degrees celsius and 135.0 degrees celsius

#### **Environmental Protection:**

Corrosion resistant and flame resistant and mildew resistant and water resistant

# Large End Wall Thickness Of Main Body:

0.100 inches after unrestricted recovery

#### Small End Wall Thickness Of Main Body:

0.055 inches after unrestricted recovery

#### Main Bodylength:

8.950 inches after unrestricted recovery

#### Main Body Small End Inside Diameter:

2.470 inches as supplied

#### Main Body Large End Inside Diameter:

2.470 inches as supplied

#### Distance From Top Of Shoulder To Small End Of Main Body:

6.620 inches as supplied

#### **End Largest Diameter:**

1.810 inches after unrestricted recovery

# Min. Tensile Strength (psi):

1200 pounds per square inch

# Lip Height:

0.120 inches after unrestricted recovery

#### Lip Width:

0.080 inches after unrestricted recovery

# Flexibility:

Semirigid

# Height:

1.310 inches after unrestricted recovery

#### Color:

Black

#### Material:

Plastic, polyolefin, rt-301, raychem corp

# Material:

Plastic, polyolefin, rt-301, raychem corp

# **Style Designator:**

Boot-90 degrees

# **Dielectric Material Voltage Rating Per Unit Thickness:**

200.0 volts per military /0.001 inch/

# Shelf Life:

N/a

#### **Unit Of Measure:**

--

# NSN 5970-01-309-6395

Special Purpose Electrical Insulation Sleeving - Page 2 of 2



Demilitarization:

No

Fiig:

A22500