

View Online at <https://aerobasegroup.com/nsn/5970-01-342-3893>

**Reliability Indicator:**

Not established

**Temperature Rating:**

-55.0 degrees celsius

**Environmental Protection:**

Flame resistant and mildew resistant and solvent resistant and water resistant

**Distance From Centerline Of Main Body To End Of First Branch:**

1.500 inches after unrestricted recovery

**Main Body Inside Diameter:**

1.200 inches as supplied 0.600 inches after unrestricted recovery

**First Branch Inside Diameter:**

0.700 inches as supplied 0.350 inches after unrestricted recovery

**Main Body Wall Thickness:**

0.090 inches as supplied 0.090 inches after unrestricted recovery

**First Branch Wall Thickness:**

0.050 inches as supplied 0.050 inches after unrestricted recovery

**Main Bodylength:**

3.170 inches as supplied 3.200 inches after unrestricted recovery

**Angle Between Main Body And First Branch Centerlines In Deg:**

15.0 as supplied 90.0 after unrestricted recovery

**Min. Tensile Strength (psi):**

1200 pounds per square inch

**Special Features:**

Adhesive coated inside

**Flexibility:**

Flexible

**Color:**

Any acceptable

**Material:**

Plastic, polyolefin

**Material:**

Plastic polyolefin

**Style Designator:**

Transition-t

**Dielectric Material Voltage Rating Per Unit Thickness:**

200.0 volts per military /0.001 inch/

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A22500