NSN 5970-01-348-7360

Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-01-348-7360 **Reliability Indicator:** Not established **Tempurature Rating:** -55.0 degrees celsius and 135.0 degrees celsius **Environmental Protection:** Flame resistant and mildew resistant and solvent resistant and water resistant Large End Wall Thickness Of Main Body: 0.070 inches after unrestricted recovery Small End Wall Thickness Of Main Body: 0.070 inches after unrestricted recovery Distance From Intersecting Centerlines To Edge Of Small End: 1.040 inches after unrestricted recovery Main Body Small End Inside Diameter: 1.220 inches as supplied0.280 inches after unrestricted recovery Main Body Large End Inside Diameter: 1.220 inches as supplied0.700 inches after unrestricted recovery Angle Between Large End And Small End Centerlines In Deg: 90.0 as supplied45.0 after unrestricted recovery Min. Tensile Strength (psi): 2000 pounds per square inch **Special Features:** Boot, 45 degrees; adhesive coating inside Flexibility: Semirigid Color: Black Material: Plastic, polyolefin, rt-301, raychem corp Material: Plastic, polyolefin, rt-301, raychem corp **Dielectric Material Voltage Rating Per Unit Thickness:** 300.0 volts per military /0.001 inch/ Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

Fiig:

A22500