## NSN 5970-01-352-6537

Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-01-352-6537

## **Reliability Indicator:** Not established **Tempurature Rating:** -55.0 degrees celsius and 225.0 degrees celsius **Environmental Protection:** Corrosion resistant and flame resistant and mildew resistant and solvent resistant and water resistant Main Body Wall Thickness: 0.070 inches after unrestricted recovery Main Bodylength: 2.020 inches after unrestricted recovery Main Body Small End Inside Diameter: 1.120 inches as supplied0.260 inches after unrestricted recovery Main Body Large End Inside Diameter: 1.120 inches as supplied0.560 inches after unrestricted recovery Distance From Bottom Of Shoulder To Large End Of Main Body: 1.100 inches after unrestricted recovery Distance From Top Of Shoulder To Small End Of Main Body: 0.510 inches after unrestricted recovery Min. Tensile Strength (psi): 1200 pounds per square inch **Special Features:** Inside adhesive coated Flexibility: Flexible Color: Black Material: Plastic, polyolefin, rt-1304, raychem corp Material: Plastic, polyolefin, rt-1304, raychem corp **Style Designator:** Boot-straight **Dielectric Material Voltage Rating Per Unit Thickness:** 225.0 volts per military /0.001 inch/ Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No

Fiig:

A22500