

View Online at <https://aerobasegroup.com/nsn/5970-01-355-4465>

Reliability Indicator:

Not established

Tempurature Rating:

-55.0 degrees celsius and 225.0 degrees celsius

Environmental Protection:

Corrosion resistant and flame resistant and mildew resistant and solvent resistant and water resistant

Main Body Wall Thickness:

0.090 inches after unrestricted recovery

Main Bodylength:

2.320 inches after unrestricted recovery

Main Body Small End Inside Diameter:

1.630 inches as supplied0.390 inches after unrestricted recovery

Main Body Large End Inside Diameter:

1.630 inches as supplied1.110 inches after unrestricted recovery

Distance From Bottom Of Shoulder To Large End Of Main Body:

0.820 inches after unrestricted recovery

Distance From Top Of Shoulder To Small End Of Main Body:

0.790 inches after unrestricted recovery

Min. Tensile Strength (psi):

1200 pounds per square inch

Special Features:

Tab located between exterior small diameter and large diameter with hole 0.080 in. Dia; inside diameter has lips; wall thickness on small end tapers to 0.040 in.

Flexibility:

Flexible

Color:

Black

Material:

Plastic, polyolefin, rt-1304, raychem corp

Material:

Plastic, polyolefin, rt-1304, raychem corp

Style Designator:

Boot-straight

Dielectric Material Voltage Rating Per Unit Thickness:

225.0 volts per military /0.001 inch/

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A22500