NSN 5970-01-437-4791

Special Purpose Electrical Insulation Sleeving - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5970-01-437-4791

Reliability Indicator: Not established **Tempurature Rating:** -55.0 degrees celsius **Environmental Protection:** Flame resistant and mildew resistant and solvent resistant and water resistant Large End Wall Thickness Of Main Body: 0.080 inches after unrestricted recovery Small End Wall Thickness Of Main Body: 0.045 inches after unrestricted recovery Main Bodylength: 4.250 inches after unrestricted recovery Main Body Small End Inside Diameter: 0.910 inches as supplied **Main Body Large End Inside Diameter:** 1.470 inches as supplied **End Largest Diameter:** 1.310 inches after unrestricted recovery Min. Tensile Strength (psi): 1800 pounds per square inch Lip Height: 0.120 inches after unrestricted recovery Lip Width: 0.065 inches after unrestricted recovery Flexibility: Flexible Height: 0.960 inches after unrestricted recovery Color: Black Material: Rubber, viton, rt-1312, raychem corp. Material: Rubber, viton, rt-1312, raychem corp. **Style Designator:** Boot-90 degrees **Dielectric Material Voltage Rating Per Unit Thickness:** 200.0 volts per military /0.001 inch/ Shelf Life: N/a

Unit Of Measure:

NSN 5970-01-437-4791

Special Purpose Electrical Insulation Sleeving - Page 2 of 2



em			

No

Fiig:

A22500