NSN 5970-01-462-0561

Special Purpose Electrical Insulation Sleeving - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5970-01-462-0561
Reliability Indicator:
Not established
Large End Wall Thickness Of Main Body:
1.3 millimeters after unrestricted recovery
Small End Wall Thickness Of Main Body:
1.3 millimeters after unrestricted recovery
Distance From Intersecting Centerlines To Edge Of Small End:
21.3 millimeters after unrestricted recovery
Distance From Centerline Of Small End To Edge Of Large End:
19.1 millimeters after unrestricted recovery
Main Body Small End Inside Diameter:
24.9 millimeters after unrestricted recovery
Main Body Large End Inside Diameter:
24.9 millimeters after unrestricted recovery
Distance From Top Of Shoulder To Small End Of Main Body:
5.8 millimeters after unrestricted recovery
Angle Between Large End And Small End Centerlines In Deg:
90.0 after unrestricted recovery
End Application:
Mechanical protection and connector-cable strain relief
Product Name:
Right angled boot
Special Features:
Can be installed directly onto the connector assessory thread since has no lip; fluid-resistant elastomer; part number suffix 0 indicates color
black
Flexibility:
Flexible
Height:
22.6 millimeters after unrestricted recovery
Color:
Black
Material:
Rubber, synthetic
Material:
Rubber synthetic
Style Designator:
Boot-90 degrees
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

NSN 5970-01-462-0561

Special Purpose Electrical Insulation Sleeving - Page 2 of 2



Fiig:

A22500