NSN 5970-01-484-0960

Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-01-484-0960

Environmental Protection:

Flame resistant and mildew resistant

Main Body Inside Diameter:

0.490 inches after unrestricted recovery and 1.060 inches after unrestricted recovery

First Branch Inside Diameter:

0.240 inches after unrestricted recovery and 0.520 inches after unrestricted recovery

Distance From Intersecting Centerline Of Main Body To End Of First Branch:

1.899 inches after unrestricted recovery and 2.321 inches after unrestricted recovery

Distance From Edge Of Main Body To Intersecting Centerlines:

2.475 inches after unrestricted recovery and 3.025 inches after unrestricted recovery

Main Bodylength:

5.130 inches after unrestricted recovery and 6.270 inches after unrestricted recovery

Angle Between Main Body And First Branch Centerlines In Deg:

45.0 after unrestricted recovery

Min. Tensile Strength (psi):

1500 pounds per square inch

Product Name:

Transition, 45 degrees side breakout

Flexibility:

Flexible

Color:

Black

Material:

Plastic, polyolefin

Material:

Plastic polyolefin

Style Designator:

Transition-45 degrees

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A22500