Electrical Insulation Sleeving - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5970-01-518-4635

Reliability Indicator:
Not established
Overall Length: Between 50.000 feet and 200.000 feet
Tempurature Rating:
-70.00 degrees celsius and 121.00 degrees celsius
Expanded Inside Diameter:
Recovered Inside Diameter:
0.570 inches
Recovered Wall Thickness:
Between 0.050 inches and 0.090 inches
Heat Shrinkage Rating In Percent:
42.8
End Application:
1010-01-233-9493
Design Form:
Full round
Min. Tensile Strength (psi):
1500 pounds per square inch
Product Name:
Sleeve, heat shrink
Special Features:
Package mark per mil-std-130; 4 foot straight lengths
Flexibility:
Flexible
Color:
Black
Material:
Rubber, synthetic
Material:
Rubber synthetic
Style Designator:
Shrinkable
Dielectric Material Voltage Rating Per Unit Thickness:
300.0 volts per military /0.001 inch/
Specification Data:
96906 - mil-std-130 government standard
Shelf Life:
N/a
Unit Of Measure:

--

Electrical Insulation Sleeving - Page 2 of 2

Demilitarization:

No

Fiig:

A22500

