NSN 5970-01-523-3335

Special Purpose Electrical Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5970-01-523-3335 **Reliability Indicator:** Not established **Tempurature Rating:** -55.0 degrees celsius **Environmental Protection:** Corrosion resistant and water resistant and flame resistant and mildew resistant Main Body Wall Thickness: 0.070 inches after unrestricted recovery Main Bodylength: 5.450 inches after unrestricted recovery Main Body Small End Inside Diameter: 0.330 inches after unrestricted recovery and 0.720 inches after unrestricted recovery Main Body Large End Inside Diameter: 0.740 inches after unrestricted recovery Distance From Bottom Of Shoulder To Large End Of Main Body: 0.610 inches after unrestricted recovery Distance From Top Of Shoulder To Small End Of Main Body: 4.440 inches after unrestricted recovery **End Application:** End item helicopter h-53 use on dircm-g-a Min. Tensile Strength (psi): 1200 pounds per square inch **Special Features:** Inside coated, adhesive Flexibility: Flexible Color: Black Material: Polyolefin, rt-1304, adhesive, raychem Material: Polyolefin, rt-1304, adhesive, raychem **Style Designator:** Boot-straight Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No

Fiig:

A22500