## NSN 5970-01-532-3237

Special Purpose Electrical Insulation Sleeving - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5970-01-532-3237 **Reliability Indicator:** Not established **Tempurature Rating:** -55.0 degrees celsius and 200.0 degrees celsius **Environmental Protection:** Corrosion resistant and flame resistant and water resistant **Main Body Wall Thickness:** 0.070 inches after unrestricted recovery Main Bodylength: 5.460 inches after unrestricted recovery Main Body Small End Inside Diameter: 1.160 inches as supplied Main Body Large End Inside Diameter: 1.160 inches as supplied Distance From Bottom Of Shoulder To Large End Of Main Body: 0.480 inches after unrestricted recovery Distance From Top Of Shoulder To Small End Of Main Body: 0.720 inches as supplied Min. Tensile Strength (psi): 1200 pounds per square inch **Product Name:** Boot shrink **Special Features:** Yellow color strip Flexibility: Flexible Color: Black Material: Plastic polyolefin mil-i-81765/1 type ii insulation resistance method3003 Plastic polyolefin mil-i-81765/1 type ii insulation resistance method3003 **Style Designator:** Boot-straight **Dielectric Material Voltage Rating Per Unit Thickness:** 200.0 volts per military /0.001 inch/ Shelf Life: N/a **Unit Of Measure:** 

Demilitarization:

No

## NSN 5970-01-532-3237

Special Purpose Electrical Insulation Sleeving - Page 2 of 2



Fiig:

A22500