NSN 5970-01-533-6984

Special Purpose Electrical Insulation Sleeving - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5970-01-533-6984

Reliability Indicator:
Not established
Main Body Inside Diameter:
1.060 inches as supplied
First Branch Inside Diameter:
0.520 inches as supplied
Second Branch Inside Diameter:
0.520 inches as supplied
Distance From Intersecting Centerline Of Main Body To End Of First Branch:
1.530 inches after unrestricted recovery and 1.870 inches after unrestricted recovery
Main Body Wall Thickness:
0.080 inches after unrestricted recovery and 0.120 inches after unrestricted recovery
First Branch Wall Thickness:
0.048 inches after unrestricted recovery and 0.072 inches after unrestricted recovery
Second Branch Wall Thickness:
0.048 inches after unrestricted recovery and 0.072 inches after unrestricted recovery
Distance From Edge Of Main Body To Intersecting Centerlines:
1.350 inches after unrestricted recovery and 1.650 inches after unrestricted recovery
Angle Between Main Body And Second Branch Centerlines In Deg:
22.5 after unrestricted recovery
End Application:
Cable assembly set
Features Provided:
Adhesive coating
Product Name:
Inavy): transition, 1 to 2
Flexibility:
Fluid-resistant
Color:
Black
Material:
Rubber, synthetic
Material:
Rubber synthetic
Style Designator:
Transition-y
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

NSN 5970-01-533-6984

Special Purpose Electrical Insulation Sleeving - Page 2 of 2



Fiig:

A22500