NSN 5970-01-534-1844

Electrical Insulation Sleeving - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5970-01-534-1844

Reliability Indicator:				
Not established				
Tempurature Rating:				
-40.0 degrees celsius and 200.0 degrees celsius				
Environmental Protection:				
Acid resistant and water resistant and oil resistant				
Expanded Inside Diameter:				
0.750 inches				
Recovered Inside Diameter:				
0.375 inches				
Recovered Wall Thickness:				
0.042 inches				
Heat Shrinkage Rating In Percent:				
200.0				
End Application:				
Jet engine test intruments; cable asy, intercom				
Design Form:				
Full round				
Markings:				
No markings				
Min. Tensile Strength (psi):				
1200 pounds per square inch				
Product Name:				
(inavy): insulation, ht sr				
Special Features:				
Material: viton (flouropolymer elastomer)				
Flexibility:				
Flexible				
Color:				
Black				
Material:				
Rubber, synthetic				
Material:				
Rubber synthetic				
Style Designator:				
Shrinkable				
Dielectric Material Voltage Rating Per Unit Thickness:				
200.0 volts per military /0.001 inch/				
Specification Or Standard:				
Mil-dtl-23053/13b reference number				
Shelf Life:				
N/a				

NSN 5970-01-534-1844

Electrical Insulation Sleeving - Page 2 of 2



П	Init	7 1+	Measure:
u	,,,,,	v	wicasuic.

--

Demilitarization:

No

Fiig:

A22500

Mil-std (military Standard):

Mil-dtl-23053 spec.