Electrical Insulation Sleeving - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5970-01-541-1549

## **Reliability Indicator:** Not established **Tempurature Rating:** -55.0 degrees celsius and 110.0 degrees celsius **Environmental Protection:** Corrosion resistant and flame resistant and mildew resistant and water resistant **Expanded Inside Diameter:** 0.940 inches **Recovered Inside Diameter:** 0.320 inches **Recovered Wall Thickness:** Between 0.080 inches and 0.120 inches Heat Shrinkage Rating In Percent: 66.0 **Design Form:** Full round Markings: Any acceptable Min. Tensile Strength (psi): 1300 pounds per square inch **Product Name:** Cage 12255: body, adhesive lined, heat shrinkable **Special Features:** Meltable inner wall 0.040 in. Thk Flexibility: Flexible Color: Gray Material: Plastic, polyolefin, mil-i-23053/4 class 3 Material: Plastic polyolefin Style Designator: Shrinkable **Dielectric Material Voltage Rating Per Unit Thickness:** 300.0 volts per military /0.001 inch/ Shelf Life: N/a Unit Of Measure: ---**Demilitarization:**

No

## NSN 5970-01-541-1549

Electrical Insulation Sleeving - Page 2 of 2

**Fiig:** A22500

