

View Online at <https://aerobasegroup.com/nsn/5970-01-625-9000>

Reliability Indicator:

Not established

Tempurature Rating:

-55.0 degrees celsius and 150.0 degrees celsius

Large End Wall Thickness Of Main Body:

0.04 inches after unrestricted recovery

Small End Wall Thickness Of Main Body:

0.04 inches after unrestricted recovery

Main Body Inside Diameter:

1.20 inches as supplied

First Branch Inside Diameter:

0.90 inches as supplied

Second Branch Inside Diameter:

0.60 inches as supplied

Distance From Intersecting Centerline Of Main Body To End Of Second Branch:

2.48 inches after unrestricted recovery

Distance From Intersecting Centerline Of Main Body To End Of First Branch:

2.48 inches after unrestricted recovery

Main Body Wall Thickness:

0.04 inches after unrestricted recovery

First Branch Wall Thickness:

0.04 inches after unrestricted recovery

Second Branch Wall Thickness:

0.04 inches after unrestricted recovery

Distance From Edge Of Main Body To Intersecting Centerlines:

2.48 inches after unrestricted recovery

Angle Between Main Body And Second Branch Centerlines In Deg:

2.48 after unrestricted recovery

End Application:

B1blrutpsadts

Product Name:

Insulation sleeving

Flexibility:

Flexible

Color:

Black

Material:

Rubber synthetic

Style Designator:

Transition-y

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A22500