## NSN 5975-00-178-0753

Stuffing Tube - Page 1 of 2



| view Online at https://aerobasegroup.com/hsn/5975-00-176-0753   |
|---|
| Thread Class:   |
| 2b  |
| Thread Direction:   |
| Right-hand second end   |
| Inside Diameter:  |
| 1.017 inches  |
| Thread Length:  |
| 0.875 inches  |
| Overall Length:   |
| 1.750 inches  |
| Bore Diameter:  |
| 0.640 inches  |
| Overall Outside Diameter:   |
| 1.375 inches  |
| Bore Length:  |
| 0.125 inches  |
| First End Chamfer Depth:  |
| 0.125 inches  |
| First Packing Chamber Length:   |
| 1.500 inches  |
| Packing Chamber Quantity:   |
| 1   |
| Mounting Method:  |
| Welded  |
| Size:   |
| 0.640 inches  |
| Thready Qty Per Inch (tpi):   |
| 12 second end   |
| Thread Size:  |
| 1.125 inches second end   |
| First End Chamfer Angle:  |
| 45.0 degrees  |
| Second End Chamfer Angle:   |
| 45.0 degrees  |
| Special Markings:   |
| C   |
| Material:   |
| Steel   |
| Style Designator:   |
| Plain-single  |
| Test Data Document:   |
| 91340 mile 24235 specification (includes angineering type bulleting, brochures, etc., that reflect specification type data in specification |

81349-mils24235 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## NSN 5975-00-178-0753

Stuffing Tube - Page 2 of 2



| Thread | <b>Series</b> | Design | nator: |
|--------|---------------|--------|--------|
|        | 0000          | _00.9. |        |

Un second end

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A049a0