

View Online at <https://aerobasegroup.com/nsn/5975-00-220-2276>

Thread Class:

2b second end

Thread Direction:

Right-hand both ends

Thread Length:

0.765 inches first end

Counterbore Diameter:

Between 1.250 inches and 1.310 inches

Overall Length:

8.156 inches

Item Accommodated Maximum Thickness:

5.000 inches

Bore Diameter:

Between 0.695 inches and 0.700 inches

Body Outside Diameter:

Between 2.370 inches and 2.375 inches

Overall Outside Diameter:

3.375 inches

Bore Length:

5.065 inches

First End Chamfer Depth:

0.093 inches

Thread Relief Length:

0.172 inches

Thread Relief Depth:

0.028 inches

Inside Recess Length:

0.219 inches

First Packing Chamber Inside Diameter:

Between 0.835 inches and 0.840 inches

First Packing Chamber Length:

0.188 inches

Packing Chamber Quantity:

1

First End Counterbore Diameter:

0.625 inches

Second End Counterbore Diameter:

1.500 inches

Mounting Method:

Flange and lock nuts

Thready Qty Per Inch (tpi):

18 first end

Thread Size:

2.375 inches second end

Second End Chamfer Angle:

20.0 degrees

Material:

Nickel alloy

Style Designator:

Internal-external-double

Thread Series Designator:

Uns both ends

Reference Number Differentiating Characteristics:

As differentiated and amended by spcc specification 5975-00-2202276 for sub safe items

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A049a0