# NSN 5975-00-296-4100

Stuffing Tube - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5975-00-296-4100

### **Thread Class:**

2a first end

**Thread Direction:** 

Right-hand first end

# **Thread Length:**

1.985 inches first end

# **Counterbore Diameter:**

3.625 inches

#### Counterbore Depth:

0.499 inches

#### Slot Depth:

0.187 inches

#### Furnished Items:

Cap and locknut

#### Slot Width:

0.625 inches

# Slot Length:

elet zeligili

# 0.187 inches

Overall Length:

2.484 inches

Item Accommodated Maximum Thickness:

0.188 inches

# Bore Diameter:

2.842 inches

#### Body Outside Diameter:

4.000 inches

#### **Overall Outside Diameter:**

4.750 inches

#### Bore Length:

0.187 inches

#### First End Chamfer Depth:

0.007 inches

# First Packing Chamber Inside Diameter:

3.250 inches

#### First Packing Chamber Length:

2.000 inches

# Distance From Outside Edge Of First Packing Chamber To Edge Of Mounting Flange:

1.985 inches

# Packing Chamber Quantity:

1

### **Mounting Method:**

Thread

# NSN 5975-00-296-4100

Stuffing Tube - Page 2 of 2



Size:

2.844 inches

Thready Qty Per Inch (tpi):

12 first end

Thread Size:

4.000 inches first end

# First End Chamfer Angle:

10.0 degrees

# Slot Angle:

30.0 degrees

# **Special Markings:**

9

# Material:

Plastic polyamide

#### Style Designator:

Slotted-single

# Thread Series Designator:

Un first end

#### Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

No

#### Fiig:

A049a0