## NSN 5975-00-877-6956

Stuffing Tube - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5975-00-877-6956 **Thread Class:** 2a first end **Thread Direction:** Right-hand first end Thread Length: 0.875 inches second end **Furnished Items:** Cap and locknut Radius: Between 0.683 inches and 0.691 inches **Overall Height:** 2.469 inches Thickness: 0.125 inches **Bore Diameter:** Between 0.683 inches and 0.691 inches **Overall Outside Diameter:** 1.500 inches **Outside Recess Length:** Between 0.095 inches and 0.103 inches **Outside Recess Width:** 0.125 inches First End Chamfer Depth: 0.312 inches First Packing Chamber Inside Diameter: Between 0.761 inches and 0.769 inches First Packing Chamber Length: Between 0.746 inches and 0.754 inches Distance From Center Of Mounting End To Edge Of Packing Chamber End: 1.750 inches **Packing Chamber Quantity: Mounting Method:** Threaded tube Thready Qty Per Inch (tpi):

Size: 0.687 inches 12 first end **Thread Size:** 1.125 inches first end **Bend Angle:** 90.0 degrees

## NSN 5975-00-877-6956

Stuffing Tube - Page 2 of 2



| First End Chamfer Angle:  |
|---------------------------|
| 10.0 degrees              |
| Material:                 |
| Plastic polyamide         |
| Style Designator:         |
| Angled-double             |
| Thread Series Designator: |
| Un first end              |
| Shelf Life:               |
| N/a                       |
| Unit Of Measure:          |
|                           |
| Demilitarization:         |
| No                        |

**Fiig:** A049a0