Electrical Conductor Bushing - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5975-01-285-0581

| Thread Class: 2a Thread Direction: Right-hand Thread Length: Between 0.515 inches and 0.535 inches Overall Height: Between 0.135 inches and 0.535 inches Overall Height: Between 1.135 inches and 1.175 inches Body Outside Diameter: Between 2.360 inches and 2.400 inches Thread Series: Un Thread Series: Un Thread Vaty Per Inch (tpi): 16 Thread Size: 2.250 inches Criticality Code Justification: Feat Base Thread Location: External Accommodation Hole Inside Diameter: Between 1.815 inches and 1.835 inches Special Features: Hei Material Specification: Aluminum alloy 6061 body Material Specification: Qu-a-225/8 federal specification single material response body Nuclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Pemilitarization: No Fig: Au2000 | |
|---|--|
| Thread Direction: Right-hand Thread Length: Between 0.515 inches and 0.535 inches Overall Height: Between 1.135 inches and 1.175 inches Body Outside Diameter: Between 2.360 inches and 2.400 inches Thread Series: Un Thread Size: 2.250 inches Chriticality Code Justification: Feat Base Thread Location: External Accommodation Hole Inside Diameter: Between 1.815 inches and 1.835 inches Special Features: Hci Material Auminum alloy 6061 body Material Specification: Q-a-225/8 federal specification single material response body Muclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: Na Na Diricality: Na Between 1.815 inches Special Features: Hci Bardened Special Features: Hardened Style Designator: Threaded Shelf Life: Na Diricalidation: Na Diricalidation: Special Features: Hardened Style Designator: Threaded Special Features: Hardened Style Designator: Na Diricalidation: Na Diricalid | Thread Class: |
| Right-hand Thread Length: Between 0.515 inches and 0.535 inches Overall Height: Between 1.135 inches and 1.175 inches Body Outside Diameter: Between 2.360 inches and 2.400 inches Thread Series: Un Thready Oty Per Inch (tpi): 16 Thread Size: 2.250 inches Criticality Code Justification: Feat Base Thread Location: External Accommodation Hole Inside Diameter: Between 1.815 inches and 1.835 inches Special Features: Hci Material Accommodation Hole Inside Diameter: Retreal Between 1.815 inches and 1.835 inches Special Features: Hci Material Quanium alloy 6061 body Material Specification: Quar-225/8 federal specification single material response body Multer Hardness Critical Feature: Hardened Style Designator: Threaded Sheff Life: Na Unt Of Measure: | |
| Thread Length: Between 0.515 inches and 0.535 inches Overall Height: Between 1.135 inches and 1.175 inches Body Outside Diameter: Between 2.360 inches and 2.400 inches Thread Series: Un Thready Oty Per Inch (tpi): 16 Thread Size: 2.250 inches Criticality Code Justification: Feat Base Thread Location: External Accommodation Hole Inside Diameter: Between 1.815 inches and 1.835 inches Special Features: Hci Material Aluminum alloy 6061 body Material Specification: Naterial Specification single material response body Nuclear Hardness Critical Features: Hardened Style Designator: Threaded Sheff Life: N/a Unt Of Measure: To Pomilitarization: Na Jig: | |
| Between 0.135 inches and 0.535 inches Overall Heigh: Between 1.135 inches and 1.175 inches Body Outside Diameter: Between 2.360 inches and 2.400 inches Thread Series: Un Thread Yep Inch (tpi): 16 Thread Size: 2.250 inches Criticality Code Justification: Feat Base Thread Location: External Accommodation Hole Inside Diameter: Between 1.815 inches and 1.835 inches Special Features: Hci Material: Aluminum alloy 6061 body Material Specification: Qr-a-225/8 federal specification single material response body Nuclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Threaded: Shelf Life: Na Shelf Life: Na Shelf Life: Na Shelf Life: Na Shelf L | - |
| Overall Height:Between 1.135 inches and 1.175 inchesBody Outside Diameter:Between 2.360 inches and 2.400 inchesThread Series:UnThready Qty Per Inch (tpi):16Thread Size:2.250 inchesCriticality Code Justification:FeatBase Thread Location:ExternalAccommodation Hole Inside Diameter:Between 1.815 inches and 1.835 inchesSpecial Features:HciMaterial:Aluminum alloy 6061 bodyMaterial Specification:RardenedStyle Designator:ThreadedShelf Life:NaUnit Of Measure:"Demilitarization:NaNaDemilitarization:NaFig:NaFig: | |
| Between 1.135 inches and 1.175 inches Body Outside Diameter: Between 2.360 inches and 2.400 inches Thread Series: Un Thread Series: Un Thread Size: 2.250 inches Criticality Code Justification: Feat Base Thread Location: External Accommodation Hole Inside Diameter: Between 1.815 inches and 1.835 inches Special Features: Hci Material: Aluminum alloy 6061 body Material Specification: Qr-a-225/8 federal specification single material response body Nuclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: F Demilitarization: No Fig: | Between 0.515 inches and 0.535 inches |
| Body Outside Diameter:Between 2.360 inches and 2.400 inchesThread Series:UnThready Qty Per Inch (tpi):16Thread Size:2.250 inchesCriticality Code Justification:FeatBase Thread Location:ExternalAccommodation Hole Inside Diameter:Between 1.815 inches and 1.835 inchesSpecial Features:HciMaterial:Auminum alloy 6061 bodyMaterial Specification:Q-a-225/8 federal specification single material response bodyNuclear Hardness Critical Feature:HardenedSyle Designator:ThreadedShelf Life:NaUnit Of Measure:-Penilitarization:NoFig: | - |
| Between 2.360 inches and 2.400 inches Thread Series: Un Thready Qty Per Inch (tpi): 16 Thread Size: 2.250 inches Criticality Code Justification: Feat Base Thread Location: External Accommodation Hole Inside Diameter: Between 1.815 inches and 1.835 inches Special Features: Hci Material: Aluminum alloy 6061 body Material Specification: Qr-a-225/8 federal specification single material response body Nuclear Hardness Critical Feature: Hardened Style Designator: Threaded Sheff Life: N/a Unit Of Measure: Demilitarization: No Fig: | Between 1.135 inches and 1.175 inches |
| Thread Series: Un Thready Qty Per Inch (tpi): 16 Thread Size: 2.250 inches Criticality Code Justification: Feat Base Thread Location: External Accommodation Hole Inside Diameter: Between 1.815 inches and 1.835 inches Special Features: Hci Material: Aluminum alloy 6061 body Material Specification: Qq-a-225/8 federal specification single material response body Nuclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: | Body Outside Diameter: |
| Un Thready Qty Per Inch (tpi): 16 Thread Size: 2.250 inches Criticality Code Justification: Feat Base Thread Location: External Accommodation Hole Inside Diameter: External Accommodation Hole Inside Diameter: Between 1.815 inches and 1.835 inches Special Features: Hci Material: Aluminum alloy 6061 body Material Specification Qq-a-225/8 federal specification single material response body Nuclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: | Between 2.360 inches and 2.400 inches |
| Thready Qty Per Inch (tpi): 16 Thread Size: 2.250 inches Criticality Code Justification: Feat Base Thread Location: External Accommodation Hole Inside Diameter: Between 1.815 inches and 1.835 inches Special Features: Hci Material: Aluminum alloy 6061 body Material Specification: Qq-a-225/8 federal specification single material response body Muclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Demilitarization: No | Thread Series: |
| 16 Thread Size: 2.250 inches Criticality Code Justification: Feat Base Thread Location: External Accommodation Hole Inside Diameter: Between 1.815 inches and 1.835 inches Special Features: Hci Material: Aluminum alloy 6061 body Material Specification: Q-q-225/8 federal specification single material response body Muclear Hardness Critical Feature: Hardened Shelf Life: N/a Unit Of Measure: To Threaded: Fig: | Un |
| Thread Size: 2.250 inches Criticality Code Justification: Feat Base Thread Location: External Accommodation Hole Inside Diameter: External Accommodation Hole Inside Diameter: Between 1.815 inches and 1.835 inches Special Features: Hci Material: Aluminum alloy 6061 body Material Specification: Aq-a-225/8 federal specification single material response body Muclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: | Thready Qty Per Inch (tpi): |
| 2.250 inches Criticality Code Justification: Feat Base Thread Location: External Accommodation Hole Inside Diameter: Between 1.815 inches and 1.835 inches Special Features: Hci Material: Aluminum alloy 6061 body Material Specification: Qq-a-225/8 federal specification single material response body Muclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Demilitarization: No | 16 |
| Criticality Code Justification: Feat Feat Base Thread Location: External Accommodation Hole Inside Diameter: External Accommodation Hole Inside Diameter: Between 1.815 inches and 1.835 inches Special Features: Hci Material: Aluminum alloy 6061 body Material Specification: Qq-a-225/8 federal specification single material response body Muclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Demilitarization: No | Thread Size: |
| FeatBase Thread Location:ExternalAccommodation Hole Inside Diameter:Between 1.815 inches and 1.835 inchesSpecial Features:HciMaterial:Aluminum alloy 6061 bodyMaterial Specification:Qq-a-225/8 federal specification single material response bodyNuclear Hardness Critical Feature:HardenedStyle Designator:ThreadedShelf Life:N/aInit Of Measure:Penilitarization:NoFig: | 2.250 inches |
| Base Thread Location: External Accommodation Hole Inside Diameter: Between 1.815 inches and 1.835 inches Special Features: Hci Material: Aluminum alloy 6061 body Material Specification: Aq-a-225/8 federal specification single material response body Muclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Demilitarization: No | Criticality Code Justification: |
| External Accommodation Hole Inside Diameter: Accommodation Hole Inside Diameter: Between 1.815 inches and 1.835 inches Special Features: Hci Material: Aluminum alloy 6061 body Material Specification: Aq-a-225/8 federal specification single material response body Muclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: | Feat |
| Accommodation Hole Inside Diameter: Between 1.815 inches and 1.835 inches Special Features: Hci Material: Aluminum alloy 6061 body Material Specification: Qq-a-225/8 federal specification single material response body Nuclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Demilitarization: No | Base Thread Location: |
| Between 1.815 inches and 1.835 inches Special Features: Hci Hci Material: Aluminum alloy 6061 body Material Specification: Qq-a-225/8 federal specification single material response body Qq-a-225/8 federal specification single material response body Nuclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: | External |
| Special Features: Hci Material: Aluminum alloy 6061 body Material Specification: Qq-a-225/8 federal specification single material response body Nuclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Demilitarization: No | Accommodation Hole Inside Diameter: |
| Hci Material: Aluminum alloy 6061 body Material Specification: Qq-a-225/8 federal specification single material response body Muclear Hardness Critical Feature: Muclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: | Between 1.815 inches and 1.835 inches |
| Material:Aluminum alloy 6061 bodyMaterial Specification:Qq-a-225/8 federal specification single material response bodyNuclear Hardness Critical Feature:HardenedStyle Designator:ThreadedShelf Life:N/aUnit Of Measure:Demilitarization:NoFig: | Special Features: |
| Aluminum alloy 6061 body Material Specification: Qq-a-225/8 federal specification single material response body Nuclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: | Hci |
| Material Specification:Qq-a-225/8 federal specification single material response bodyNuclear Hardness Critical Feature:HardenedStyle Designator:ThreadedShelf Life:N/aUnit Of Measure:Demilitarization:NoFig: | Material: |
| Qq-a-225/8 federal specification single material response body Nuclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: | Aluminum alloy 6061 body |
| Nuclear Hardness Critical Feature: Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Demilitarization: No | Material Specification: |
| Hardened Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: | Qq-a-225/8 federal specification single material response body |
| Style Designator: Threaded Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Nuclear Hardness Critical Feature: |
| Threaded Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Hardened |
| Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Style Designator: |
| N/a Unit Of Measure: Demilitarization: No Fiig: | Threaded |
| Unit Of Measure: Demilitarization: No Fiig: | Shelf Life: |
| Demilitarization: No Fiig: | N/a |
| No Fiig: | Unit Of Measure: |
| No Fiig: | - |
| Fiig: | Demilitarization: |
| - | No |
| - | Fiig: |
| | - |
| | |