NSN 5975-01-434-1756

Electrical Nonmetallic Conduit Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5975-01-434-1756	
Thread Class:	
2b both ends	
Gripping Accommodation Type:	
Round knurled both ends	
Hazardous Locations/environmental Protection:	
Corrosion resistant	
Braided Metallic Shield Type:	
Tinned copper wire	
Minimum Inside Bending Radius:	
2.630 inches	
Body Outside Diameter:	
1.410 inches	
Body Inside Diameter:	
1.000 inches	
End Application:	
F-15s	
Terminal End Type:	
Plain ferrule w/coupling nut both ends	
Measuring Method And Length:	
84.000 inches working	
Special Features:	
Ground wire included both ends	
Flexibility:	
Flexible	
Material:	
Stainless steel chafing sleeve	
Material Specification:	
Qq-s-763 federal specification single material response chafing sleeve	
Surface Treatment:	
Chromate complete end fitting	
Surface Treatment Specification:	
Qq-p-416, type ii, class 3 federal specification single treatment response complete end fitting	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A02700	
Mil-std (military Standard):	

Mil-t-81914 spec.