## NSN 5977-00-400-9361

Electrical Contact Brush - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5977-00-400-9361

| Shunt Position Designator:   |
|--|
| 2 and 8  |
| Peripheral Speed:  |
| 8000 feet per minute   |
| Body Style:  |
| Rectangular commutator   |
| Radius:  |
| 5.750 inches   |
| Width:   |
| 1.000 inches   |
| Thickness:   |
| 1.000 inches   |
| Length:  |
| 2.000 inches   |
| Brush Shunt Length:  |
| 3.625 inches all shunts  |
| Terminal Slot Width:   |
| 0.219 inches   |
| Top Style:   |
| Beveled front  |
| Contact Face Style:  |
| Concave on bevel   |
| Shunt Insulation Provision And Quantity:   |
| 2 uninsulated  |
| Angle:   |
| 31.0 degrees   |
| Criticality Code Justification:  |
| Matt and mdcl  |
| Special Features:  |
| Shunts enter terminal from both ends, shunt banding clip attached 1.250 in. From end of shunt, terminal slot positioned facing brush |
| Material:  |
| Electrographitic   |
| Material Specification:  |
| Morganite inc, gr eg7788 mfr ref single material response  |
| Style Designator:  |
| One piece  |
| Terminal Type And Quantity:  |
| 1 flag w/slot  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |

--

## NSN 5977-00-400-9361

Electrical Contact Brush - Page 2 of 2



Demilitarization:

No

Fiig:

A01500