## NSN 5977-01-033-4366

A01500

Electrical Contact Brush - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5977-01-033-4366

| Shunt Position Designator:  |
|---|
| 2 and 8   |
|   |
| Body Style:   |
| Rectangular commutator  Slot Donth:   |
| Slot Depth:   |
| Any acceptable  Slot Width:   |
|   |
| Any acceptable  Width:  |
| 0.867 inches  |
|   |
| Thickness:  |
| 0.290 inches  |
| Length:   |
| 1.000 inches  |
| Brush Shunt Length:   |
| 1.250 inches 1st shunt  |
| Terminal Hole Diameter:   |
| 0.312 inches  |
| Top Style:  |
| Flat with rectangular slot  |
| Contact Face Style:   |
| Flat  |
| Shunt Insulation Provision And Quantity:  |
| 2 uninsulated   |
| Outer Edge To Slot Edge Distance:   |
| Any acceptable  |
| Material:   |
| Carbon and copper   |
| Style Designator:   |
| One piece   |
| Test Data Document:   |
| 21269-qc-100 standard (includes industry or association standards, individual manufactureer standards, etc.). And 21269-a578 standard |
| (includes industry or association standards, individual manufactureer standards, etc.).   |
| Terminal Type And Quantity:   |
| 1 flag w/hole   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiig:   |