## NSN 5980-01-355-1924

Light Emitting Diode - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5980-01-355-1924

**Inclosure Material:** Metal **Overall Length:** Between 0.500 inches and 0.520 inches Overall Diameter: Between 0.373 inches and 0.388 inches Lens Transparency: Transparent **Mounting Facility Quantity: Mounting Method:** Threaded stud **Thread Size:** 0.312 inches **Semiconductor Material:** Gallium arsenide phosphide Voltage Rating In Volts Per Characteristic: 5.0 breakdown voltage, dc and 3.0 forward voltage, dc **Current Rating Per Characteristic:** 35.00 milliamperes source cutoff current preset **Power Rating Per Characteristic:** 120.0 milliwatts small-signal input power, common-collector of standard range **Color Tone Produced Per Source:** Green semiconductor **Luminous Intensity:** 20.0 millicandela **Maximum Operating Tempurature Per Measurement Point:** 100.0 degrees celsius ambient air **Precious Material And Location:** Terminal surface option gold **Precious Material:** Gold **Test Data Document:** 81349-mil-s-19500/521 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Thread Series Designator:** Unf **Terminal Type And Quantity:** 2 uninsulated wire lead

N/a

Shelf Life:

**Specification Data:** 

81349-mil-s-19500/521 government specification

## NSN 5980-01-355-1924

Light Emitting Diode - Page 2 of 2



|  |  |  | ıre: |
|--|--|--|------|
|  |  |  |      |

--

Demilitarization:

No

Fiig:

A110a0