## NSN 5985-00-004-5738

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-004-5738

#### **Cross Sectional Shape:**

Internal, rectangular external, rectangular

#### **Thread Class:**

2b first flange all connection facilities

#### **Thread Direction:**

Right-hand first flange all connection facilities

#### **End Application:**

Landing control central, an/tpn-19

#### **Tubing Wall Construction Style:**

Seamless single tubing segment

#### Flange Quantity:

2

#### Flange Inside Width:

1.118 inches first flange and 1.126 inches first flange

#### Flange Inside Height:

0.493 inches first flange and 0.501 inches first flange

## Flange Outside Width:

1.860 inches first flange and 1.890 inches first flange

## Flange Outside Height:

1.860 inches first flange and 1.890 inches first flange

## Flange Inside Diameter:

1.610 inches first flange and 1.640 inches first flange

#### Flange Depth:

0.610 inches first flange and 0.640 inches first flange

## **Voltage Standing Wave Ratio:**

1.05

## Thready Qty Per Inch (tpi):

32 first flange all connection facilities

#### **Waveguide Outside Width:**

Between 1.246 inches and 1.254 inches

#### **Thread Size:**

0.164 inches first flange all connection facilities

## Waveguide Inside Width:

Between 1.118 inches and 1.126 inches

## **Waveguide Inside Height:**

Between 0.493 inches and 0.501 inches

## **Waveguide Outside Height:**

Between 0.621 inches and 0.629 inches

## Flange Connecting Facility And Quantity:

4 threaded hole first flange all connection facilities

#### Flange Style:

Choke type first flange

# **NSN 5985-00-004-5738** Waveguide Assembly - Page 2 of 2



Waveguide Length:
2.940 inches
Flexibility:
Rigid single tubing segment
Material:
Aluminum alloy all tubing segment and flange
Surface Treatment:
Chromate all tubing segment and flange outside surfaces and primer all tubing segment and flange outside surfaces and enamel all tubing
segment and flange outside surfaces
Style Designator:
Straight type
Thread Series Designator:
Unc first flange all connection facilities
Fsc Application Data:
Antennas, wavegyuides, and related equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A073a0