NSN 5985-00-005-2157

Fixed Attenuator - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5985-00-005-2157

Application Design:
Transmission line
Body Material:
Steel, qq-s-763, class 304
Body Style:
Round, terminal/terminals in opposite surface
Body Surface Treatment:
Gold plate over nickel
Overall Length:
0.750 inches
Overall Diameter:
0.405 inches
Operating Tempurature Range:
-54.0/+125.0 degrees celsius
Voltage Standing Wave Ratio:
1.15 and 1.25 and 1.50
Power Rating:
1.0 watts average
Rf Signal Attenuation In Decibels:
6.0
6.0 Voltage Standing Wave Ratio Frequency Range:
Voltage Standing Wave Ratio Frequency Range:
Voltage Standing Wave Ratio Frequency Range: +1.0/+4.0 gigahertz and +4.1/+8.0 gigahertz
Voltage Standing Wave Ratio Frequency Range: +1.0/+4.0 gigahertz and +4.1/+8.0 gigahertz Attenuation Accuracy Reference Frequency:
Voltage Standing Wave Ratio Frequency Range: +1.0/+4.0 gigahertz and +4.1/+8.0 gigahertz Attenuation Accuracy Reference Frequency: 1.0 gigahertz
Voltage Standing Wave Ratio Frequency Range: +1.0/+4.0 gigahertz and +4.1/+8.0 gigahertz Attenuation Accuracy Reference Frequency: 1.0 gigahertz Attenuation Accuracy In Decibels:
Voltage Standing Wave Ratio Frequency Range: +1.0/+4.0 gigahertz and +4.1/+8.0 gigahertz Attenuation Accuracy Reference Frequency: 1.0 gigahertz Attenuation Accuracy In Decibels: -0.30/+0.30
Voltage Standing Wave Ratio Frequency Range: +1.0/+4.0 gigahertz and +4.1/+8.0 gigahertz Attenuation Accuracy Reference Frequency: 1.0 gigahertz Attenuation Accuracy In Decibels: -0.30/+0.30 Mounting Method:
Voltage Standing Wave Ratio Frequency Range: +1.0/+4.0 gigahertz and +4.1/+8.0 gigahertz Attenuation Accuracy Reference Frequency: 1.0 gigahertz Attenuation Accuracy In Decibels: -0.30/+0.30 Mounting Method: Connector
Voltage Standing Wave Ratio Frequency Range: +1.0/+4.0 gigahertz and +4.1/+8.0 gigahertz Attenuation Accuracy Reference Frequency: 1.0 gigahertz Attenuation Accuracy In Decibels: -0.30/+0.30 Mounting Method: Connector Frequency Range:
Voltage Standing Wave Ratio Frequency Range: +1.0/+4.0 gigahertz and +4.1/+8.0 gigahertz Attenuation Accuracy Reference Frequency: 1.0 gigahertz Attenuation Accuracy In Decibels: -0.30/+0.30 Mounting Method: Connector Frequency Range: Between 1.000 gigahertz and 12.400 gigahertz
Voltage Standing Wave Ratio Frequency Range: +1.0/+4.0 gigahertz and +4.1/+8.0 gigahertz Attenuation Accuracy Reference Frequency: 1.0 gigahertz Attenuation Accuracy In Decibels: -0.30/+0.30 Mounting Method: Connector Frequency Range: Between 1.000 gigahertz and 12.400 gigahertz Shelf Life:
Voltage Standing Wave Ratio Frequency Range: +1.0/+4.0 gigahertz and +4.1/+8.0 gigahertz Attenuation Accuracy Reference Frequency: 1.0 gigahertz Attenuation Accuracy In Decibels: -0.30/+0.30 Mounting Method: Connector Frequency Range: Between 1.000 gigahertz and 12.400 gigahertz Shelf Life: N/a
Voltage Standing Wave Ratio Frequency Range: +1.0/+4.0 gigahertz and +4.1/+8.0 gigahertz Attenuation Accuracy Reference Frequency: 1.0 gigahertz Attenuation Accuracy In Decibels: -0.30/+0.30 Mounting Method: Connector Frequency Range: Between 1.000 gigahertz and 12.400 gigahertz Shelf Life: N/a
Voltage Standing Wave Ratio Frequency Range: +1.0/+4.0 gigahertz and +4.1/+8.0 gigahertz Attenuation Accuracy Reference Frequency: 1.0 gigahertz Attenuation Accuracy In Decibels: -0.30/+0.30 Mounting Method: Connector Frequency Range: Between 1.000 gigahertz and 12.400 gigahertz Shelf Life: N/a Unit Of Measure:
Voltage Standing Wave Ratio Frequency Range: +1.0/+4.0 gigahertz and +4.1/+8.0 gigahertz Attenuation Accuracy Reference Frequency: 1.0 gigahertz Attenuation Accuracy In Decibels: -0.30/+0.30 Mounting Method: Connector Frequency Range: Between 1.000 gigahertz and 12.400 gigahertz Shelf Life: N/a Unit Of Measure: Demilitarization:
Voltage Standing Wave Ratio Frequency Range: +1.0/+4.0 gigahertz and +4.1/+8.0 gigahertz Attenuation Accuracy Reference Frequency: 1.0 gigahertz Attenuation Accuracy In Decibels: -0.30/+0.30 Mounting Method: Connector Frequency Range: Between 1.000 gigahertz and 12.400 gigahertz Shelf Life: N/a Unit Of Measure: Demilitarization: No