NSN 5985-00-005-2960

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-005-2960

Cross Sectional Shape:

Internal, rectangular external, rectangular

Tubing Wall Construction Style:

Corrugated single tubing segment

Flange Quantity:

2

Flange Inside Width:

2.840 inches all flanges

Flange Inside Height:

1.340 inches all flanges

Flange Outside Width:

4.500 inches all flanges

Flange Outside Height:

3.000 inches all flanges

Flange Depth:

0.690 inches all flanges

Flange Connecting Hole Diameter:

0.531 inches all flanges second connection facility

Voltage Standing Wave Ratio:

1.05

Insertion Loss In Decibels:

0.02

Maximum Operating Pressure:

26.0 pounds per square inch gage

Waveguide Outside Width:

3.000 inches

Waveguide Inside Width:

2.840 inches

Waveguide Inside Height:

1.340 inches

Waveguide Outside Height:

1.500 inches

Flange Connecting Facility And Quantity:

8 unthreaded hole all flanges second connection facility

Flange Style:

Contact type all flanges

Waveguide Length:

1.000 feet

Flexibility:

Flexible single tubing segment

Material:

Plastic single tubing jacket

NSN 5985-00-005-2960

Waveguide Assembly - Page 2 of 2

Surface Treatment:

Any acceptable all flange inside surfaces

Style Designator:

Straight type

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A073a0

