# NSN 5985-00-006-9005

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-006-9005

#### Cross Sectional Shape:

Internal, rectangular external, rectangular

#### **Thread Class:**

2b all flanges all connection facilities

#### **Thread Direction:**

Right-hand all flanges all connection facilities

#### **Tubing Wall Construction Style:**

Seamless single tubing segment

## Flange Quantity:

2

#### Flange Inside Width:

0.896 inches all flanges and 0.904 inches all flanges

#### Flange Inside Height:

0.396 inches all flanges and 0.404 inches all flanges

#### Flange Outside Width:

1.610 inches all flanges and 1.640 inches all flanges

#### Flange Outside Height:

1.610 inches all flanges and 1.640 inches all flanges

#### Flange Depth:

0.423 inches all flanges and 0.453 inches all flanges

### Voltage Standing Wave Ratio:

1.10

#### Thready Qty Per Inch (tpi):

32 all flanges all connection facilities

#### Maximum Operating Pressure:

25.0 pounds per square inch gage

#### Waveguide Outside Width:

Between 0.996 inches and 1.004 inches

#### **Thread Size:**

0.164 inches all flanges all connection facilities

#### Waveguide Inside Width:

Between 0.896 inches and 0.904 inches

#### Waveguide Inside Height:

Between 0.396 inches and 0.404 inches

#### Waveguide Outside Height:

Between 0.496 inches and 0.504 inches

#### Flange Connecting Facility And Quantity:

4 threaded hole all flanges all connection facilities

#### Flange Style:

Choke type all flanges

#### Waveguide Length:

5.750 inches

# NSN 5985-00-006-9005

Waveguide Assembly - Page 2 of 2



Waveguide Center To Center Distance:

1.810 inches

Flexibility:

Flexible single tubing segment

Material:

Rubber synthetic single tubing jacket

# **Precious Material And Location:**

Waveguide and flange internal surfaces silver

#### **Precious Material:**

Silver

#### Surface Treatment:

Silver all tubing segment and flange inside surfaces

#### Style Designator:

Offset bend type

#### **Thread Series Designator:**

Unc all flanges all connection facilities

#### **Fsc Application Data:**

Antennas, waveguides, and related equipment

#### Shelf Life:

N/a

---

### Unit Of Measure:

Demilitarization:

Yes - demil/mli

# Fiig:

A073a0