NSN 5985-00-008-8353

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-008-8353

Application Design:
Transmission line
Body Style:
Coaxial type
Overall Length:
4.500 inches
Overall Height:
2.719 inches
Overall Width:
1.936 inches
Shaft Diameter:
0.250 inches
Shaft Length:
0.938 inches
Distance Between Mounting Facility Centers:
1.125 inches
Voltage Standing Wave Ratio:
1.20
Coaxial Connector Series Designation:
Bnc
Mounting Facility Screw Thread Series Designator:
Unc
Insertion Loss At Minimum Attenuation In Maximum Decibels:
0.1
Overall Attenuation Range In Decibels:
+0.0 to 60.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
6
Attenuation Per Step In Decibels:
10.0
Mounting Facility Type And Quantity:
2 threaded hole
Frequency Range:
Between 0.000 megahertz and 100.000 megahertz
Overall Attenuation Accuracy In Decibels:
-1.00 to 1.00
Mounting Thread Quantity:
32 per inch
Adjustment Device Type And Quantity:

1 shaft

NSN 5985-00-008-8353

Variable Attenuator - Page 2 of 2



Mounting Facility Pattern:
Two position in-line
Shaft Type:
Round
Mounting Facility Screw Thread Diameter:
0.164 inches
Impedance Rating In Ohms:
50.0 input-output
Terminal Type And Quantity:
2 connector, coaxial, female
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: A223a0