

View Online at <https://aerobasegroup.com/nsn/5985-00-008-8379>

**Thread Class:**

2b mounting facility hole

**Body Style:**

Rectangular

**Overall Length:**

1.066 inches

**Overall Height:**

0.562 inches

**Overall Width:**

0.480 inches

**Frequency Rating:**

24.0 megahertz and 38.3 megahertz single frequency voltage standing wave ratio

**Switch Type:**

Nontransfer

**Longest Horizontal Distance Between Mounting Centers:**

0.866 inches single mounting facility pattern

**Longest Vertical Distance Between Mounting Centers:**

0.362 inches single mounting facility pattern

**Operating Temperature Range:**

+0.0 to 75.0 degrees celsius

**Voltage Standing Wave Ratio:**

1.20 single

**Insertion Loss In Decibels:**

2.00 single

**Rf Power Handling Capability:**

1.0 watts peak single

**Minimum Crosstalk Rating In Decibels:**

30.0 single

**Actuator Operating Method:**

Relay

**Actuator Current Type And Rating In Amps:**

0.2 dc

**Actuator Voltage In Volts:**

28.0

**Switch Operation Sequence:**

Makes before breaks

**Switching Time:**

0.25 microseconds

**Switch Return Mechanism Type:**

Fail-safe

**Pole Quantity:**

1

**Throw Quantity:**

1

**Coupling Position Quantity:**

6

**Mounting Facility Type And Quantity:**

4 threaded hole

**Thread Size:**

0.112 inches mounting facility hole

**Mounting Facility Pattern:**

Four position rectangular single mounting facility pattern

**Material:**

Metal body

**Thread Series Designator:**

Unc mounting facility hole

**Terminal Type And Quantity:**

6 pin

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A158a0