

View Online at <https://aerobasegroup.com/nsn/5985-00-009-6482>

Thread Class:

2b mounting facility hole

Body Style:

Rectangular

Overall Length:

2.547 inches

Overall Height:

2.015 inches

Overall Width:

1.455 inches

Frequency Rating:

12.4 gigahertz and 18.0 gigahertz 2nd frequency insertion loss reference

Switch Type:

Transfer

Distance Between Mounting Facility Centers:

1.150 inches single mounting facility pattern

Voltage Standing Wave Ratio:

1.25 single

Insertion Loss In Decibels:

0.80 2nd

Coaxial Connector Series Designation:

N and n

Connector End Design:

Male and female

Rf Power Handling Capability:

300.0 watts peak 2nd

Minimum Crosstalk Rating In Decibels:

45.0 2nd

Actuator Operating Method:

Relay

Actuator Current Type And Rating In Amps:

0.5 dc

Actuator Voltage In Volts:

Between 24.0 and 30.0

Switch Operation Sequence:

Makes before breaks

Switching Time:

40.0 milliseconds

Switch Return Mechanism Type:

Latching

Coupling Position Quantity:

3

Mounting Facility Type And Quantity:

2 threaded hole

Thread Size:

0.138 inches mounting facility hole

Mounting Facility Pattern:

Two position in-line single mounting facility pattern

Material:

Metal body

Thread Series Designator:

Unc mounting facility hole

Terminal Type And Quantity:

1 plug, coaxial and 2 receptacle, coaxial and 2 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A158a0