NSN 5985-00-009-6720

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-009-6720 **Application Design:** Transmission line **Body Material: Brass Body Style:** Round, terminal/terminals in opposite surface **Terminal Material: Brass Terminal Surface Treatment:** Silver plated **Body Surface Treatment:** Silver plated, qq-s-365 **Overall Length:** 2.600 inches **Overall Diameter:** 0.600 inches **Operating Tempurature Range:** -55.0/+150.0 degrees celsius **Voltage Standing Wave Ratio:** 1.20 **Input Impedance Rating In Ohms:** 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Bnc **Power Rating:** 2.0 watts average and 2.0 kilowatts peak Rf Signal Attenuation In Decibels: 2.0 **Voltage Standing Wave Ratio Frequency Range:** +0.0/+1.5 gigahertz **Attenuation Accuracy Reference Frequency:** 1.5 gigahertz **Attenuation Accuracy In Decibels:** -0.50/+0.50 **Connection Type Per Function:** Female output and male input **Unpackaged Unit Weight:** 1.500 ounces **Mounting Method:**

Connector

NSN 5985-00-009-6720 Fixed Attenuator - Page 2 of 2



Terminal Type And Quantity:
2 connector
Frequency Range:
Between 0.000 hertz and 1.500 gigahertz
Precious Material And Location:
surfaces silver
Precious Material:
Silver
Fsc Application Data:
Antennas, waveguides, and related equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A20000