NSN 5985-00-012-5756

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-012-5756

Cross Sectional Shape:

Internal, rectangular external, rectangular

Thread Class:

2b second flange all connection facilities

Thread Direction:

Right-hand second flange all connection facilities

Tubing Wall Construction Style:

Seamless single tubing segment

Flange Quantity:

3

Flange Inside Width:

0.280 inches all flanges

Flange Inside Height:

0.140 inches all flanges

Flange Outside Width:

0.750 inches all flanges

Flange Outside Height:

0.750 inches all flanges

Flange Inside Diameter:

0.500 inches all flanges

Flange Depth:

0.210 inches all flanges

Flange Connecting Hole Diameter:

0.116 inches third flange all connection facilities

Thready Qty Per Inch (tpi):

40 second flange all connection facilities

Waveguide Outside Width:

0.360 inches

Thread Size:

0.112 inches second flange all connection facilities

Waveguide Inside Width:

0.280 inches

Waveguide Inside Height:

0.140 inches

Waveguide Outside Height:

0.220 inches

Waveguide Longer Offset Distance:

1.640 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole third flange all connection facilities

Waveguide Width:

0.750 inches

NSN 5985-00-012-5756 Waveguide Assembly - Page 2 of 2



Flange Style:
Choke type all flanges
Waveguide Length:
3.322 inches
Waveguide Height:
2.425 inches
Special Features:
Gold plated on external surfaces only
Flexibility:
Rigid single tubing segment
Material:
Copper alloy all tubing segment and flange
Precious Material And Location:
External surfaces gold
Precious Material:
Gold
Surface Treatment:
Gold all tubing segment and flange outside surfaces
Style Designator:
Tee, series type
Thread Series Designator:
Unc second flange all connection facilities
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A073a0