## NSN 5985-00-013-9514

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-013-9514

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2b second flange all connection facilities

**Thread Direction:** 

Right-hand second flange all connection facilities

Bend Angle In Deg:

90.0 all bends e-plane

**Tubing Wall Construction Style:** 

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

0.420 inches all flanges

Flange Inside Height:

0.170 inches all flanges

Flange Outside Width:

0.875 inches all flanges

Flange Outside Height:

0.875 inches all flanges

Flange Inside Diameter:

0.625 inches all flanges

Flange Depth:

0.285 inches all flanges

Flange Connecting Hole Diameter:

0.116 inches first flange all connection facilities

**Voltage Standing Wave Ratio:** 

1.35

**Waveguide Outside Width:** 

0.500 inches

**Thread Size:** 

0.112 inches second flange all connection facilities

Waveguide Inside Width:

0.420 inches

**Waveguide Inside Height:** 

0.170 inches

**Waveguide Outside Height:** 

0.250 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole first flange all connection facilities

Flange Style:

Choke type all flanges

## **NSN 5985-00-013-9514** Waveguide Assembly - Page 2 of 2



| Waveguide Length:  |  |
|--|--|
| 15.000 inches  |  |
| Flexibility:   |  |
| Rigid second tubing segment  |  |
| Material:  |  |
| Copper alloy all flange  |  |
| Precious Material And Location:  |  |
| External surfaces rhodium and external surfaces silver   |  |
| Precious Material:   |  |
| Rhodium and silver   |  |
| Surface Treatment:   |  |
| Rhodium single tubing segment outside surfaces and silver single tubing segment outside surfaces |  |
| Style Designator:  |  |
| Offset bend type   |  |
| Thread Series Designator:  |  |
| Unc second flange all connection facilities  |  |
| Shelf Life:  |  |
| N/a  |  |
| Unit Of Measure:   |  |
| <del>-</del>   |  |
| Demilitarization:  |  |
| Yes - demil/mli  |  |
| Fiig:  |  |
| A073a0   |  |
|  |  |
|  |  |