

View Online at <https://aerobasegroup.com/nsn/5985-00-016-0410>

Thread Class:

2b mounting facility hole

Body Style:

Irregular

Overall Length:

Between 2.471 inches and 2.591 inches

Overall Height:

2.172 inches

Overall Width:

2.031 inches

Frequency Rating:

1.0 megahertz and 50.0 megahertz single frequency operating

Switch Type:

Nontransfer

Longest Horizontal Distance Between Mounting Centers:

1.000 inches single mounting facility pattern

Longest Vertical Distance Between Mounting Centers:

0.750 inches single mounting facility pattern

Operating Temperature Range:

-20.0/+85.0 degrees celsius

Voltage Standing Wave Ratio:

1.18 single

Insertion Loss In Decibels:

0.20 single

Coaxial Connector Series Designation:

Bnc

Connector End Design:

Female

Rf Power Handling Capability:

10.0 watts average 1st

Minimum Crosstalk Rating In Decibels:

70.0 single

Actuator Operating Method:

Relay

Actuator Current Type And Rating In Amps:

0.250 dc

Actuator Voltage In Volts:

24.0

Switch Operation Sequence:

Breaks before makes

Switching Time:

100.0 milliseconds

Switch Return Mechanism Type:

Fail-safe

Pole Quantity:

1

Throw Quantity:

3

Rf Maximum Voltage Rating:

400.0 volts rms

Coupling Position Quantity:

4

Mounting Facility Type And Quantity:

4 threaded hole

Thread Size:

0.138 inches mounting facility hole

Mounting Facility Pattern:

Four position rectangular single mounting facility pattern

Material:

Aluminum body

Surface Treatment:

Copper body outside surfaces and tin body outside surfaces

Thread Series Designator:

Unc mounting facility hole

Terminal Type And Quantity:

2 wire hook and 4 receptacle, coaxial

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiiig:

A158a0