## NSN 5985-00-022-3506

Fixed Attenuator - Page 1 of 2

N/a



View Online at https://aerobasegroup.com/nsn/5985-00-022-3506

Application Design:
Transmission line
Body Material:
Any acceptable
Body Style:
Round, terminal/terminals in opposite surface
Overall Length:
1.930 inches
Overall Diameter:
0.540 inches
Voltage Standing Wave Ratio:
1.40
Input Impedance Rating In Ohms:
50.0
Output Impedance Rating In Ohms:
50.0
Coaxial Connector Series Designation:
Bnc
Power Rating:
1.0 watts average
Rf Signal Attenuation In Decibels:
6.0
Voltage Standing Wave Ratio Frequency Range:
+0.0/+2.0 gigahertz
Attenuation Accuracy In Decibels:
-0.30/+0.30
Connection Type Per Function:
Female output and male input
Mounting Method:
Terminal
Terminal Type And Quantity:
2 connector
Frequency Range:
Between 0.000 hertz and 2.000 gigahertz
Test Data Document:
06845-2073453-0704 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Specification Data:
06845-2073453 manufacturers source control
Fsc Application Data:
Radar set an/sps-40b
Shelf Life:

## NSN 5985-00-022-3506

Fixed Attenuator - Page 2 of 2



	Of			

--

Demilitarization:

Yes - demil/mli

Fiig:

A20000