NSN 5985-00-028-0630

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-028-0630 **Application Design:** Transmission line **Body Material:** Brass, qq-b-626, comp 22, 1/2h **Body Style:** Round, terminal/terminals in opposite surface **Body Surface Treatment:** Passivated **Overall Length:** 3.000 inches **Overall Diameter:** 0.840 inches **Voltage Standing Wave Ratio:** Input Impedance Rating In Ohms: **Output Impedance Rating In Ohms:** 75.0 **Coaxial Connector Series Designation:** Sma **Power Rating:** 0.5 watts average **Rf Signal Attenuation In Decibels:** 3.0 **Voltage Standing Wave Ratio Frequency Range:** +0.0/+100.0 megahertz **Attenuation Accuracy In Decibels:** -0.30/+0.30 **Connection Type Per Function:** Female output and male input **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 100.000 megahertz Shelf Life: N/a **Unit Of Measure:**

Demilitarization: No

NSN 5985-00-028-0630

Fixed Attenuator - Page 2 of 2



Fiig:

A20000