## NSN 5985-00-031-3993



Variable Attenuator - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5985-00-031-3993 **Application Design:** Transmission line **Body Style:** Cylindrical w/side terminals **Overall Length:** 0.750 inches **Overall Width:** 0.281 inches **Body Diameter:** 0.250 inches **Body Length:** 0.750 inches **Insertion Loss At Minimum Attenuation In Maximum Decibels:** 0.20 **Overall Attenuation Range In Decibels:** +0.0/+16.0 **Attenuation Variation Method:** Continuous **Mounting Facility Type And Quantity:** 2 terminal Frequency Range: Between 200.000 megahertz and 4.000 gigahertz **Overall Attenuation Accuracy In Decibels:** -0.50/+0.50 **Segment Attenuation Range In Decibels:** +0.00/+4.00 and +4.00/+8.00 and +8.00/+16.00 **Segment Attenuation Accuracy In Decibels:** -0.50/+0.50 and -0.50/+0.50 and -0.50/+0.50 and -0.50/+0.50**Adjustment Device Type And Quantity:** 1 slotted screw Impedance Rating In Ohms: 600.0 input-output **Terminal Type And Quantity:** 

14 pin
Shelf Life:
N/a
Unit Of Measure:
-Demilitarization:
No
Fiig:
A223a0