NSN 5985-00-034-0950

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-034-0950

Application Design:
Audio
Body Style:
Cylindrical w/rear terminals
Overall Length:
3.500 inches
Overall Height:
2.370 inches
Overall Width:
1.830 inches
First Flat Length:
0.312 inches
Flat Height:
0.205 inches
Shaft Diameter:
0.250 inches
Bushing Length:
0.375 inches
Shaft Length:
0.870 inches
Body Length:
2.000 inches
Overall Diameter:
1.500 inches
Schematic Diagram Designator:
Unbalanced "pi"
Operating Tempurature Range:
-20.0/+160.0 degrees fahrenheit
Mounting Facility Screw Thread Series Designator:
Unef
Overall Attenuation Range In Decibels:
+0.0/+24.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
25
Attenuation Per Step In Decibels:
2.0
Mounting Facility Type And Quantity:
1 threaded bushing
Frequency Range:
Between 0.000 gigahertz and 130.000 gigahertz

NSN 5985-00-034-0950 Variable Attenuator - Page 2 of 2



Overall Attenuation Accuracy In Decibels:
-4.80/+4.80
Mounting Thread Quantity:
32 per inch
Adjustment Device Type And Quantity:
1 shaft
Shaft Type:
Round, flatted
Mounting Facility Screw Thread Diameter:
0.375 inches
Impedance Rating In Ohms:
600.0 input and 11100.0 output
Terminal Type And Quantity:
3 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A223a0