NSN 5985-00-034-0951

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-034-0951

Application Design:
Audio
Body Style:
Cylindrical w/side terminals
Overall Length:
2.692 inches
Overall Width:
1.495 inches
First Flat Length:
0.312 inches
Flat Height:
0.217 inches
Body Diameter:
1.375 inches
Shaft Diameter:
0.500 inches
Bushing Length:
0.360 inches
Shaft Length:
0.812 inches
Body Length:
1.880 inches
Schematic Diagram Designator:
Unbalanced ladder
Operating Tempurature Range:
-20.0 to 160.0 degrees fahrenheit
Mounting Facility Screw Thread Series Designator:
Unef
Overall Attenuation Range In Decibels:
+0.0 to 12.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
13
Attenuation Per Step In Decibels:
1.0
Mounting Facility Type And Quantity:
1 threaded bushing
Frequency Range:
Between 0.000 megahertz and 1.000 megahertz
Overall Attenuation Accuracy In Decibels:

-0.50 to 0.50

NSN 5985-00-034-0951

Variable Attenuator - Page 2 of 2



Mounting Thread Quantity:
32 per inch
Adjustment Device Type And Quantity:
1 shaft
Shaft Type:
Round, flatted
Mounting Facility Screw Thread Diameter:
0.375 inches
Impedance Rating In Ohms:
50.0 input and 580.0 output
Terminal Type And Quantity:
3 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A223a0