

View Online at <https://aerobasegroup.com/nsn/5985-00-056-4744>

Application Design:

Waveguide

Body Style:

Waveguide type

Overall Length:

6.510 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.280 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.220 inches

Overall Height:

3.077 inches

Overall Width:

5.063 inches

Unthreaded Mounting Hole Diameter:

0.169 inches

Voltage Standing Wave Ratio:

1.15

Waveguide Flange Type:

Cover

Waveguide Flange Designation:

Ug-39/u

Insertion Loss At Minimum Attenuation In Maximum Decibels:

1.0

Overall Attenuation Range In Decibels:

+0.0 to 72.0

Attenuation Variation Method:

Stepped

Mounting Facility Type And Quantity:

4 terminal w/mounting holes

Segment Attenuation Range In Decibels:

+0.00 to 20.00 and +20.00/+40.00 and +40.00/+50.00 and +50.00 to 60.00

Adjustment Device Type And Quantity:

1 knob

Mounting Facility Pattern:

Four position rectangular

Terminal Type And Quantity:

2 flange

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A223a0