NSN 5985-00-064-2216

Radio Frequency Transmission Line Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-064-2216 **Body Style:** Irregular **Overall Length:** Between 0.950 inches and 1.050 inches **Overall Height:** Between 0.350 inches and 0.450 inches Overall Width: Between 0.750 inches and 0.850 inches Frequency Rating: 9.5 megahertz and 30.5 megahertz single frequency crosstalk reference **Unthreaded Mounting Hole Diameter:** 0.091 inches Switch Type: Nontransfer **Longest Horizontal Distance Between Mounting Centers:** 0.990 inches single mounting facility pattern and 1.010 inches single mounting facility pattern **Operating Tempurature Range:** -54.0 to 95.0 degrees celsius **Voltage Standing Wave Ratio:** 1.15 single **Insertion Loss In Decibels:** 0.10 single Rf Power Handling Capability: 1.0 watts peak single Minimum Crosstalk Rating In Decibels: 45.0 single **Actuator Operating Method: Actuator Current Type And Rating In Amps:** 0.06 dc **Actuator Voltage In Volts:** Between 20.0 and 30.0 **Switch Operation Sequence:** Breaks before makes Switch Return Mechanism Type: Latching **Pole Quantity:** 1 **Throw Quantity:**

Coupling Position Quantity:

NSN 5985-00-064-2216

Radio Frequency Transmission Line Switch - Page 2 of 2



| Mounting Facility Type And Quantity: |
|--|
| 2 unthreaded hole |
| Mounting Facility Pattern: |
| Two position diagonal single mounting facility pattern |
| Material: |
| Metal body |
| Surface Treatment: |
| Paint body outside surfaces |
| Terminal Type And Quantity: |
| 6 wire hook |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiia: |

A158a0